







INSPECTORATE

BARGE "GONSOULIN - 203"
LE BEOUF BROTHERS

INNAGE TABLE

3 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4198

Table with 22 columns (IN, 0 FT. to 14 FT.) and 22 rows (0 to 11). Each row contains capacity values for different gauge heights (0, 1/4, 1/2, 3/4). Values range from approximately 16.77 to 352.13 for 0 FT. and up to 4,438.34 for 14 FT. at gauge 0.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 08/13/1996

REISSUED: 07/21/2017 (TO REFLECT MMC GAUGE HEIGHT)

PORT REFERENCE GAUGE HEIGHT : 17'-1 3/4" (TO MMC DEVICE ON 2" BALL VALVE)

STAR REFERENCE GAUGE HEIGHT : 17'-1" (TO MMC DEVICE ON 2" BALL VALVE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Handwritten signature

INSPECTORATE AMERICA CORPORATION







INSPECTORATE

BARGE "GONSOULIN - 203"
LE BEOUF BROTHERS

OUTAGE TABLE

3 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4198

Table with 24 columns representing gauge heights from 2 FT. to 17 FT. and 12 rows representing different barge sections (0-11). Each cell contains four data points for different gauge types (IN, 1/4, 1/2, 3/4).

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

REFERENCE GAUGE HEIGHT : 17'-1 3/4" (TO MMC DEVICE ON 2" BALL VALVE)

STRAPPED: 08/13/1996
REISSUED: 07/21/2017 (TO REFLECT MMC GAUGE HEIGHT)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Handwritten signature

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

BARGE "GONSOULIN - 203" LE BEOUF BROTHERS

OUTAGE TABLE

3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4198

Table with 25 columns (0-17 FT) and 25 rows (0-11) showing capacity data in barrels of 42 U.S. gallons for various gauge heights (0, 1/4, 1/2, 3/4).

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

REFERENCE GAUGE HEIGHT : 17'-1" (TO MMC DEVICE ON 2" BALL VALVE)

STRAPPED: 08/13/1996 REISSUED: 07/21/2017 (TO REFLECT MMC GAUGE HEIGHT)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION